



Product certificate K26384/03



Issued 2015-12-15
Replaces K26384/02
Page 1 of 2

Thermostatic mixers

STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Product Certification, Kiwa declares that legitimate confidence exists that the products supplied by

Watts Industries France

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with

Kiwa evaluation guideline BRL-K610: "Thermostatic mixers" dated 01-02-2012,

which covers the requirements of

EN 1111: 1998: "Sanitary tapware; Thermostatic mixing valves (PN10)".

Bouke Meekma
Kiwa

Publication of the certificate is allowed.

Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.

Supplier

Watts Industries France
100 route Nationale
80132 HAUTVILLERS-OUVILLE
France
Tel. + 33 322 24 70 11
Fax + 33 322 23 16 83
www.wattsindustries.com

Kiwa Nederland B.V.
Sir Winston Churchillaan 273
P.O. Box 70
2280 AB RIJSWIJK
The Netherlands

Tel. +31 88 998 44 00
Fax +31 88 998 44 20
info@kiwa.nl
www.kiwa.nl



Certification process
consists of initial and
regular assessment of:

- quality system
- product

Thermostatic mixers

PRODUCT SPECIFICATION

Minimix

Code 97320 ¾, with threaded connections;
Code 97322 ¾, with 12 mm compression ends;
Code 97321 ½, with threaded connections;
Code 97323 ½, with 15 mm compression ends.

REMARK

The above listed products were not yet assessed for compliance with all Hygienic Aspects as stated in the Dutch Drinking Water Decree and as outlined in the "Regeling materialen en chemicaliën drink- en warm tapwatervoorziening" ("Regulation on materials and chemicals in drinking water and warm tap water supply), implemented on 19 July 2011, as specified in clause 4.2.2.1 of the Kiwa Evaluation guideline BRL-K610: dated 01-02-2012.

APPLICATION AND USE

Thermostatic mixing valves are intended for application in tap water installations with a static water pressure of maximum 1000 kPa and a maximum water temperature of 90°C.

MARKING

The Kiwa[®]-mark products are marked with the wordmark "KIWA".

Place of the mark: on the body.

Compulsory specifications:

- name or mark of the manufacturer: on the body;
- indication for temperature selection: on the control device;
- the acoustic group, if classified: on the body;
- the flow rate class: on the body.

Method of marking:

- non-erasable;
- visible after assembly.

RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- Watts Industries France
- and, if necessary,
- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.